

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

# Ambient Building Products Inc.

8230 Preston Court Unit C, Jessup, Maryland 20794, United States

For the following product(s):

**Bamboo Flooring:**

Ambient Strand Bamboo Flooring (*Maximum thickness: 14mm*)

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

**FloorScore®**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 – 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-04032

Valid from: March 01, 2024 to February 28, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI National Accreditation Board  
ACCREDITED  
ISO/IEC 17065  
PRODUCT CERTIFICATION  
BODY



A handwritten signature in black ink, appearing to read "Nicole Munoz".

Nicole Munoz, Vice President, ECS  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA